

Message

From: Shafer, Kevin [KShafer@mmsd.com]
Sent: 6/7/2017 3:24:00 PM
To: Maraldo, Dean [Maraldo.Dean@epa.gov]
CC: Anthony, Susan [SAnthony@mmsd.com]
Subject: RE: MMSD Milorganite Issue

6/12 is bad on our end. Hopefully, the 19th works.

From: Maraldo, Dean [mailto:Maraldo.Dean@epa.gov]
Sent: Wednesday, June 07, 2017 9:06 AM
To: Shafer, Kevin <KShafer@mmsd.com>
Cc: Anthony, Susan <SAnthony@mmsd.com>
Subject: Re: MMSD Milorganite Issue

Kevin: I'm checking in with the team to see about availability. Next Wednesday will not work. Monday, June 12 (10am-noon), and Monday, June 19th (1-3pm) are possibilities, but still need to confirm availability with others on the team.

Thanks.

=====
Dean Maraldo
Water Enforcement & Compliance Assurance Branch
U.S. EPA - Region 5
77 West Jackson Blvd. (WC-15J)
Chicago, Illinois 60604
ph: (312) 353-2098
fax: (312) 385-5394
e-mail: maraldo.dean@epa.gov
<http://www.epa.gov/enforcement/>

From: Shafer, Kevin <KShafer@mmsd.com>
Sent: Wednesday, June 7, 2017 8:19 AM
To: Maraldo, Dean
Cc: Anthony, Susan
Subject: RE: MMSD Milorganite Issue

As a follow-up, I wonder if your team is available next Wednesday, 6/14 for this meeting?

From: Shafer, Kevin
Sent: Tuesday, June 06, 2017 6:59 PM
To: maraldo.dean@epa.gov
Cc: Anthony, Susan <SAntony@mmsd.com>
Subject: Fwd: MMSD Milorganite Issue

Hi Dean - send me some dates/times that we can come to Chicago to discuss this issue.

Sent from my iPhone

Begin forwarded message:

From: "Korleski, Christopher" <korleski.christopher@epa.gov>
To: "Shafer, Kevin" <KShafer@mmsd.com>
Cc: "Kaplan, Robert" <kaplan.robert@epa.gov>
Subject: MMSD Milorganite Issue

Hello Kevin –

As promised earlier today, I attach for your review a proposed Administrative Order on Consent (AOC) that would resolve with finality the violations of the Clean Water Act (CWA) that EPA believes occurred at the Biosolids Dewatering and Drying Facility, located within the Jones Island Water Reclamation Facility in Milwaukee, Wisconsin. On March, 14, 2017, EPA identified several violations during an inspection at the facility, including improper temperature monitoring for the heat drying process used to reduce pathogens, and deficiencies in pathogen and moisture sampling protocols. For your convenience, EPA's inspection report is enclosed.

I am happy to discuss with you further, but I reiterate EPA's belief that the use of an agreed-upon AOC is the most appropriate and efficient way to resolve this matter. I also recommend, for purposes of setting up calls or meetings to further discuss this matter or for asking legal or technical questions, that appropriate MMSD staff reach out to EPA's key contacts on this matter: Dean Maraldo, Water Division at (312) 353-2098 or Matthew Moore, Office of Regional Counsel at (312) 353-5624.

Thanks.

Chris

Chris Korleski

Director, Water Division, Region 5

U.S. Environmental Protection Agency

77 W. Jackson Blvd. (W-15J)

Chicago, IL 60604

312 886-1432 (Liz Rosado, Assistant)

312 353-5498 (General Office Number)

korleski.christopher@epa.gov